

Journal Publication

1 January 2007 – 31 December 2007

CHAN CHI-HOU

- 1 K. M. Shum, W. T. Luk, C. H. Chan, and Q. Xue, "A UWB bandpass filter with two transmission zeros using a single stub with CMRC," *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 1, pp. 43-45, Jan., 2007.
- 2 C. Y. Chiu, K. M. Shum, and C. H. Chan, "A tunable via-patch loaded PIFA with size reduction," *IEEE Trans. Antennas Propagat.*, vol. 55, no. 1, pp. 65-71, Jan., 2007.
- 3 G. M. Gavaza, Z. X. Yu, L. Tsang, C. H. Chan, S. Y. Tong, and M. A. Van Hove, "Theory of low-energy electron diffraction for detailed structural determination of nano-materials: Ordered structures," *Physical Review B*, vol. 75, 014114(11), Jan., 2007.
- 4 C. Y. Chiu, H. Wong, and C. H. Chan, "Study of small wideband folded-patch feed antennas," *IET Proc.-Microw. Antennas Propag.*, vol. 1, no. 2, pp. 501-505, Apr., 2007.
- 5 H. G. Wang and C. H. Chan, "The implementation of multilevel Green's function interpolation method for full-wave electromagnetic problems," *IEEE Trans. Antennas Propagat.*, vol. 55, no. 5, pp. 1348-1358, May 2007.
- 6 L. Li, C. H. Liang, and C. H. Chan, "Waveguide end-slot phased array antenna integrated with electromagnetic band-gap structures," *Journal of Electromagnetic Wave and Applications*, vol. 21, no. 2, pp. 161-174, 2007.
- 7 G. M. Gavaza, Z. X. Yu, L. Tsang, C. H. Chan, S. Y. Tong, and M. A. Van Hove, "Theory of low-energy electron diffraction for detailed structural determination of nano-materials: finite-size and disordered structures," *Physical Review B*, 75 (23), 235407 (9), May 2007.
- 8 M. Y. Xia, G. H. Zhang, G. L. Dai, and C. H. Chan, "Stable solution of time domain integral equation methods using quadratic B-spline temporal basis functions," *Journal of Computational Mathematics*, 25(3) pp. 374-384, May 2007.
- 9 K. K. Tse, L. Tsang, C. H. Chan, K. H. Ding, and K. W. Leung, "Multiple scattering of waves by dense random distributions of sticky particles for applications in microwave scattering by terrestrial snow," *Radio Science*, 42(5), art. no. RS5001, Sep., 2007.
- 10 Y. Lai, Z. Q. Zhang, C. H. Chan, and L. Tsang, "Anomalous properties of the band-edge states in large-sized two-dimensional photonic quasi-crystals," *Physical Review B*, 76 (16), art. no. 165132, Oct., 2007.

CHAN WING-SHING

- 1 S. Y. Zheng and W. S. Chan, "Compact Butler matrix using size reduced elements," *Microwave and Optical Technology Letters*, vol. 49, no. 7, pp. 1519-1521, Apr., 2007.
- 2 S. Y. Zheng, W. S. Chan, S. H. Leung, and Q. Xue, "Broad band butler matrix with flat coupling," *Electronics Letters*, vol. 43, no. 10, pp. 576-577, May 2007.
- 3 W. K. Lo, W. S. Chan, C. W. Li, and C. K. Leung, "Self-phase equalized bidirectional distributed amplifier," *Electronics Letters*, vol. 43, no. 11, pp. 626-627, May 2007.
- 4 K. K. Soo, Y. M. Siu, W. S. Chan, L. Yang, and R. S. Chen, "Particle-swarm-optimization-based multiuser detector for CDMA communications," *IEEE Transactions on Vehicular Technology*, vol. 56, no. 5, pp. 3006-3013, Sep., 2007.
- 5 C. H. Chan, S. H. Yeung, W. S. Chan, and K. F. Man, "Genetic algorithm optimized printed UWB sickle-shape dipolar antenna with stable radiation pattern," *Microwave and Optical Technology Letters*, vol. 49, no. 11, pp. 2695-2697, Nov., 2007.

CHAN YAN-CHEONG, ARCHIE

- 1 Y. C. Chan, S. C. Tan, N. S. M. Liu, and C. W. Tan, "Electrical characterization of NCP-and NCF-bonded fine-pitch flip-chip-on-flexible packages," *IEEE Transactions on Advanced Packaging*, vol. 30, iss. 1, Feb., 2007.
- 2 A. Sharif and Y. C. Chan., Effect of substrate metallization on interfacial reactions and reliability of Sn-Zn-Bi solder joints," *Microelectronic Engineering*, vol. 84, iss. 2, pp. 328-335, Feb., 2007.
- 3 A. Sharif and Y. C. Chan, "Retardation of spalling by the addition of Ag in Sn-Zn-Bi solder with the Au/Ni metallization," *Materials Science and Engineering: A*, vol. 445-446, pp. 686-690, Feb., 2007.
- 4 J. S. Zhang, Y. C. Chan, Y. P. Wu, and F. S. Wu, "Electro-migration of Pb-free solder under a low level of current density," *Journal of Alloys and Compounds*, Apr., 2007.
- 5 B. Y. Wu, Y. C. Chan, H. W. Zhong, M. O. Alam, and J. K. L. Lai, "A study of the thermal stress in a Pb-free half-bump solder joint under current stressing," *Applied Physics Letters*, vol. 90, iss. 23, Jun., 2007.
- 6 M. J. Rizvi, C. Bailey, Y. C. Chan, and H. Lu, "Effect of adding 0.3 wt% Ni into the Sn-0.7wt%Cu solder: part I: wetting behavior on Cu and Ni substrates," *Journal of Alloys and Compounds*, vol. 438, iss. 1-2, pp. 116-121, Jul., 2007.
- 7 M. J. Rizvi, C. Bailey, Y. C. Chan, and H. Lu, "Effect of adding 0.3 wt% Ni into the Sn-0.7 wt% Cu solder: part II: growth of inter-metallic layer with Cu during wetting and aging," *Journal of Alloys and Compounds*, vol. 438, iss. 1-2, pp. 122-128, Jul., 2007.
- 8 H. W. Zhong, Y. C. Chan, B. Y. Wu, M. O. Alam, and J. F. Guan, "Multiple reflow study of ball grid array (BGA) solder joints on AuNi metallization," *Journal of Materials Science*, vol. 42, iss. 13, pp. 5239-5247, Jul., 2007.
- 9 Y. Ma and Y. C. Chan, "The effect of bonding force on the electrical performance and reliability of NCA joints processed at a lowered temperature," *Journal of Materials Science*, vol. 42, iss 16, pp. 6658-6664, Aug., 2007.
- 10 A. Sharif and Y. C. Chan, "Investigation of interfacial reactions between Sn-Zn solder with electrolytic Ni and electro-less Ni(P) metallization," *Journal of Alloys and Compounds*, vol. 440, iss. 1-2, pp. 117-121, Aug., 2007.
- 11 D. Yang, B. Y. Wu, Y. C. Chan, and K. N. Tu, "Micro-structural evolution and atomic transport by thermo-migration in eutectic tin-lead flip chip solder joints," *Journal of Applied Physics*, vol. 102, iss. 4, Aug., 2007.
- 12 B. Y. Wu, Y. C. Chan, H. W. Zhong, and M. O. Alam, "Effect of current stressing on the reliability of 63Sn37Pb solder joints," *Journal of Materials Science*, vol. 42, iss. 17, pp. 7415-7422, Sep., 2007.

JIA WEI-JIA

- 1 H. Wang, X. Hu, J. Fang and W. J. Jia, "Analysis of reactive routing protocols for mobile ad hoc networks in Markov models," *Applied Mathematics and Mechanics*, vol. 28, no. 1, pp. 127-139, Jan., 2007.
- 2 B. Han, L. Lin, and W. J. Jia, "Performance evaluation of scheduling in IEEE 802.16 based wireless mesh networks," *Computer Communications*, vol. 30, no. 4, pp. 782-792, Feb., 2007.
- 3 Q. Fang, W. J. Jia, B. Feng, Y. Wu, and G. Wang, "Parameter optimization-based batching TLS protocol," *Journal of Software*, vol. 18, no. 6, pp. 1522-1530, Jun., 2007. (Chinese)
- 4 B. Han and W. J. Jia, "Clustering wireless ad hoc networks with weakly-connected dominating set," *Journal of Parallel and Distributed Computing*, vol. 67, no. 6, pp. 727-737, Jun., 2007.

- 5 L. Chen, Q. Zhang, M. Li, and W. J. Jia, "Joint topology control and routing in IEEE 802.11-based multi-radio multi-channel mesh networks," *IEEE Transactions on Vehicular Technology*, vol. 56, no. 5, pp. 3123-3136, Sep., 2007.
- 6 W. Y. Lu, W. J. Jia, and W. F. Du, "Performance analysis of the contention resolution in IEEE 802.16," *Journal of Software*, vol. 18, no. 9, pp. 2259-2270, Sep., 2007. (Chinese)
- 7 W. Tu, C. J. Sreenan, and W. J. Jia, "Worst case delay control in multi-group overlay networks," *IEEE Transaction on Parallel and Distributed Systems*, vol. 18, no. 10, pp. 1407-1419, Oct., 2007.
- 8 W. Gu, X. Bai, S. Chellappan, D. Xuan, and W. J. Jia, "Network decoupling: a methodology for securing communications in wireless sensor networks," *IEEE Transactions on Parallel and Distributed Systems*, vol. 18, no. 12, pp. 1784-1796, Dec., 2007.

LEUNG KWOK-WA

- 1 B. Li and K. W. Leung, "Dielectric-covered dual-slot antenna for dual-band applications," *IEEE Trans. Antennas Propagat.*, vol. 55, no. 6, pp. 1768-1773, Jun., 2007
- 2 E. H. Lim and K. W. Leung, "Novel utilization of the dielectric resonator antenna as an oscillator load," *IEEE Trans. Antennas Propagat.*, vol. 55, no. 10, pp. 2686-2691, Oct., 2007

LEUNG SAI-WING, PETER

- 1 K. H. Chan, C. K. Tang, K. H. Wong, L. C. Fung, and S. W. Leung, "Study of a ground plane on the dual-band patch antenna on SAR," *Microwave and Optical Technology Letters*, vol. 49, no. 4, pp. 949-953, Apr., 2007.
- 2 L. C. Fung, K. H. Chan, W. K. Lam, S. W. Leung, Y. F. Wong, P. W. K. Wu, and C. K. Tang, "Electromagnetic assessment of human safety of RFID system at the Hong Kong International Airport," *Microwave and Optical Technology Letters*, vol. 49, no. 4, pp. 924-928, Apr., 2007.

LEUNG SHU-HUNG

- 1 S. L. Wang, W. H. Lau, A. W. C. Liew, and S. H. Leung, "Robust lip region segmentation for lip images with complex background," *Pattern Recognition*, vol. 40, no. 12, pp. 3481-3491, Dec., 2007.

LI PING

- 1 G. S. Yue, P. Li, and X. D. Wang, "Low rate generalized low-density parity-check codes based on Hadamard constraints," *IEEE Transactions on information Theory*, pp. 1058-1079, Mar., 2007.
- 2 K. Li, X. D. Wang, and P. Li, "Analysis and optimization of interleave-division multiple-access communication systems," *IEEE Trans. Wireless Communications*, pp. 1973-1983, May 2007.
- 3 C. X. Li, K. Li, X. D. Wang, and P. Li, "An interleave-division-multiplexing MISO system with partial CSI at transmitter," *IEEE Trans Vehicular Technology*, vol. 56, no. 3, pp. 1197-1208, May 2007.
- 4 P. Li, Q. H. Guo, and J. Tong, "The OFDM-IDMA approach to wireless communication systems," *IEEE Wireless Commun. Magazine*, pp. 18-24, Jun., 2007.
- 5 H. Loeliger, J. Dauwels, J. Hu, S. Korl, P. Li, and F. Kschischang, "The factor graph approach to model-based signal processing," *Proceedings of the IEEE*, vol. 95, no. 6, pp. 1295-1322, Jun., 2007.
- 6 Q. Huang, S. Chan, P. Li, and M. Zukerman, "Improving wireless TCP throughput by a novel TCM-based hybrid ARQ," *IEEE Trans. Wireless Communications*, vol. 6, no. 7, pp. 2476 - 2485, Jul., 2007.

- 7 Q. Huang, S. Chan, P. Li, and T. Ko, "An efficient hybrid ARQ scheme for trellis coded modulation in broadband wireless networks," *IEEE Transactions on Vehicular Technology*, vol. 56, no. 5, pp. 2784-2790, Sep., 2007.
- 8 S. L. Che, P. Wang, P. Li, and X. M. Wang "Low-complexity soft-in-soft-output demodulation of orthogonal modulation," *IEEE Commutation Letters*, vol. 11, no. 12, pp. 919-921, Dec., 2007.

LUK KWAI-MAN

- 1 T. P. Wong, K. L. Lau, K. M. Luk, and K. F. Lee, "Wideband fractal vertical patch antenna," *IEEE Antennas Wireless Propagation Letter*, vol. 6, pp. 5-6, 2007.
- 2 K. M. Mak, H. Wong, and K. M. Luk, "A shorted bowtie patch antenna with a cross dipole for dual polarization," *IEEE Antennas and Wireless Propagation Letters*, vol. 6, pp. 126-129, 2007.
- 3 H. W. Lai and K. M. Luk, "Dual polarized meandering probes-fed patch antenna," *IEEE Transactions on Antenna and Propagation*, vol. 55, no. 9, pp. 2625-2627, 2007
- 4 K. M. Luk, K. F. Lee, and H. W. Lai, "Development of wideband L-probe coupled patch antenna," *ACES journal*, vol. 22, no. 3, pp. 88-96, 2007.
- 5 K. C. Kong, K. M. Luk, and K. L. Lau, "Compact ultra-wideband wide-slot antenna," *Microwave and Optical Technology Letters*, vol. 49, no. 4, pp. 968-971, Apr., 2007
- 6 H. W. Lai and K. M. Luk, "Meandering probe fed patch antenna with high gain characteristic for circularly polarized application," *Microwave and Optical Technology Letters*, vol. 49, no. 5, pp. 1095-1098, May 2007.
- 7 Y. W. Chan and K. M. Luk, "A small UWB hybrid antenna," *Microwave Optical Technology Letters*, vol. 49, no. 9, pp. 2157-2159, Sep., 2007.
- 8 K. L. Lau, S. H. Wong, and K. M. Luk, "Wideband folded shorted patch antenna with double L-slots," *Electronics Letters*, vol. 43, no. 23, Nov., 2007.

MAN KIM-FUNG

- 1 K. W. Tang, W. K. S. Tang, and K F Man, "A chaos-based pseudo-random number generator and its application in voice communications," *International Journal of Bifurcation and Chaos*, vol. 17, no. 3, pp. 923-933.
- 2 K. S. Ripon, S. Kwong, and K. F. Man, "A real-coding jumping gene genetic algorithm (RJGA) for multi-objective optimization," *Journal of Information Science*, vol. 177, no. 2, pp. 632-654.
- 3 T. M. Chan, K. F. Man, K. S. Tang, and S. Kwong, "A jumping genes paradigm for optimizing factory WLAN network," *IEEE Trans. on Industrial Informatics*, vol. 3, no. 1, pp. 33-43, Feb., 2007.
- 4 S. H. Yeung, M. T. Luk, H. K. Ng, K. F. Man, and C. H. Chan, "A jumping gene paradigm for the design of wide-band patch antenna with a double shorting wall," *Microwave and Optical Technology Letters*, vol. 49, no. 3, pp. 706-709, Mar., 2007.

TSANG KIM-FUNG

- 1 K. L. Lam, H. Y. Tung, K. F. Tsang, K. T. Ko, Y. T. Sun, and E. K. N. Yung, "A dynamic CAC scheme for the evaluation of channel utilization of 3.5G cellular networks", *Hong Kong Institution of Engineers Transactions*, vol. 14, no.2, pp. 1-8, Jun., 2007.

XUE QUAN

- 1 T. T. Mo, Q. Xue, and C. H. Chan, "A broadband compact microstrip rat-race hybrid using a novel CPW inverter," *IEEE Microwave Theory Tech.*, vol. 55, no. 1, pp. 161-167, Jan., 2007.

- 2 S. W. Qu, C. L. Ruan, and Q. Xue, "A planar folded ultra-wideband antenna with gap-loading," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 1, pp. 216-220, Jan., 2007.
- 3 X. Y. Zhang, J. X. Chen, and Q. Xue, "Compact bandpass filter using open loop resonators with capacitive loading," *Microwave and Optical Technology Letters*, vol. 49, no. 1, pp. 83-84, Jan., 2007.
- 4 J. X. Chen and Q. Xue, "Compact dual-mode bandpass filter using equilateral triangular slotted-patch resonator" *Microwave and Optical Technology Letters*, vol. 49, no. 2, pp. 493-494, Feb., 2007.
- 5 J. X. Chen, C. H. K. Chin, and Q. Xue, "Quasi-elliptic DSPSL low-pass filter with shunt stepped-impedance stubs," *Microwave and Optical Technology Letters*, vol. 49, no. 2, pp. 476-477, Feb., 2007.
- 6 C. H. K. Chin, Q. Xue, H. Wong, and X. Y. Zhang, "Broadband patch antenna with low cross-polarization," *Electronics Letters*, vol. 43, no. 3, pp. 137-138, Feb., 2007.
- 7 K. W. Lau, Q. Xue, and C. H. Chan, "A novel self-adaptive biasing technique for microwave bipolar amplifier linearization," *Electronics Letters*, vol. 43, no. 3, pp. 166-167, Feb., 2007.
- 8 Y. F. Lau, Q. Xue, C. H. Chan, and M. Y. Xia, "Negative-resistance, reflection-type bipolar frequency doubler," *Microwave and Optical Technology Letters*, vol. 49, no. 2, pp. 434-436, Feb., 2007.
- 9 J. L. Li, S. W. Qu, and Q. Xue, "Microstrip directional coupler with flat coupling and high isolation," *Electronics Letters*, vol. 43, no. 4, pp. 228-229, Feb., 2007.
- 10 X. Y. Zhang, J. X. Chen, and Q. Xue, "Broadband transition between double-sided parallel-strip line and coplanar waveguide" *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 2, pp. 103-105, Feb., 2007.
- 11 J. X. Chen, and Q. Xue, "Novel 5:1 unequal Wilkinson power divider using offset double-sided parallel-strip lines," *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 3, pp. 175-177, Mar., 2007.
- 12 J. X. Chen and Q. Xue, "Dual-mode microstrip bandpass filter with spurious response suppression," *Microwave and Optical Technology Letters*, vol. 49, no. 3, pp. 556-558, Mar., 2007.
- 13 J. L. Li, S. W. Qu, and Q. Xue, "Ultra-wideband planar elliptical slot antenna with finite-ground coplanar waveguide-fed," *Microwave and Optical Technology Letters*, vol. 49, no. 3, pp. 662-664, Mar., 2007.
- 14 S. W. Qu and Q. Xue, "A Y-Shaped stub proximity coupled V-slot microstrip patch antenna," *IEEE Antennas and Wireless Propagation Letters*, vol. 6, pp. 40-42, Mar., 2007.
- 15 X. Y. Zhang, J. L. Li, and Q. Xue, "Novel bandpass filter with wide stop-band using double-sided parallel-strip line" *Microwave and Optical Technology Letters*, vol. 49, no. 3, pp. 722-724, Mar., 2007.
- 16 X. Y. Zhang, Q. Xue, and B. J. Hu, "Compact bandpass filter using modified CMRC and double-sided parallel-strip line" *Microwave and Optical Technology Letters*, vol. 49, no. 3, pp. 583-585, Mar., 2007.
- 17 K. Deng, Q. Xue, and W. Che, "Improved compact microstrip resonance cell low-pass filter with wide stop-band characteristics" *Electronics Letters*, vol. 43, no. 8, pp. 463-464, Apr., 2007.
- 18 Y. Lou, Q. Xue, and C. H. Chan, "A broadband waveguide-to-microstrip transition/power splitter using fin-line arrays," *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 4, pp. 310-312, Apr., 2007.
- 19 K. W. Wong, L. Chiu, and Q. Xue, "A 2-dimensional Van Atta array using star-shaped antenna elements," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 41, pp. 1204-1206, Apr., 2007.
- 20 X. Y. Zhang, Q. Xue, and B. J. Hu, "Novel bandpass filter with size reduction and harmonic suppression," *Microwave and Optical Technology Letters*, vol. 49, no. 4, pp. 914-916, Apr., 2007.
- 21 J. X. Chen, C. H. K. Chin, and Q. Xue, "Novel power divider with fixed strip width using offset double-sided parallel-strip lines," *Microwave and Optical Technology Letters*, vol. 49, no. 5, pp. 1109-1111, May 2007.

- 22 X. Y. Zhang, J. X. Chen, and Q. Xue, "Novel dual-band filter using slot-line and microstrip resonators," *Microwave and Optical Technology Letters*, vol. 49, no. 5, pp. 1080-1081, May 2007.
- 23 S. W. Qu, J. L. Lin, and Q. Xue, "Bowtie dipole antenna with wide beamwidth for base station application," *IEEE Antennas and Wireless Propagation Letters*, vol. 6, pp. 293-295, Jun., 2007.
- 24 J. Shi, J. X. Chen, and Q. Xue, "A quasi-elliptic function dual-band bandpass filter stacking spiral-shaped CPW defected ground structure and back-side coupled strip lines," *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 6, pp. 430-432, Jun., 2007.
- 25 K. W. Wong, L. Chiu, and Q. Xue, "2-D phase-conjugated retro-directive array with information carrying capability," *Electronics Letters*, vol. 43, no. 12, pp. 653-654, Jun., 2007.
- 26 Y. Li, Q. Xue, K. N. Yung, and Y. Long, "Circularly-polarized microstrip leaky-wave antenna," *Electronics Letters*, vol. 43, no. 14, Jul., 2007.
- 27 K. C. Wan, and Q. Xue, "A novel simple adaptive matching antenna," *Electronics Letters*, vol. 43, no. 14, Jul., 2007.
- 28 J. L. Li, S. W. Qu and Q. Xue, "Miniaturized branch-line balun with bandwidth enhancement," *Electronics Letters*, vol. 43, no. 17, pp. 931-932, Aug., 2007.
- 29 X. Y. Zhang, J. X. Chen, Q. Xue, and S. M. Li, "Dual-band bandpass filters using stub-loaded resonators," *IEEE Microwave and Wireless Components Letters*, vol. 17, no. 3, pp. 583-585, Aug., 2007.
- 30 J. X. Chen, C. H. K. Chin, and Q. Xue, "Double-sided parallel-strip line with an inserted conductor plane and its applications," *IEEE Trans. Microwave Theory and Tech.*, vol. 55, no. 9, pp. 1899-1904, Sep., 2007.
- 31 C. H. K. Chin, Q. Xue, and H. Wong, "Broad-band patch antenna with a folded plate pair as a differential feeding scheme," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 9, pp. 2461-2467, Sep., 2007.
- 32 Y. Li, Q. Xue, K. N. Yung, and Y. Long, "Fixed-frequency dual-beam scanning microstrip leaky wave antenna," *IEEE Antennas and Wireless Propagation Letters*, vol. 6, pp. 444-446, Sep., 2007.
- 33 X. Y. Zhang and Q. Xue, "Compact dual-mode dual-band bandpass filters with independent bandwidths using coplanar-waveguide-fed ring resonators," *IEEE Trans. Microwave Theory and Tech.*, vol. 55, no. 10, pp. 2183-2190, Oct., 2007.
- 34 L. Chiu and Q. Xue, "A parallel-strip ring power divider with high isolation and arbitrary power dividing ratio," *IEEE Trans. Microwave Theory and Tech.*, vol. 55, no. 11, pp. 2419-2426, Nov., 2007.
- 35 J. L. Li, S. W. Qu, and Q. Xue, "Capacitively loaded Wilkinson power divider with size reduction and harmonic suppression," *Microwave and Optical Technology Letters*, vol. 49, no. 11, pp. 2737-2739, Nov., 2007.
- 36 W. Qu, J. L. Li, J. X. Chen, and Q. Xue, "Ultra-wideband strip-loaded circular slot antenna with improved radiation patterns," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 11, pp. 3348-3353, Nov., 2007.
- 37 Y. X. Li, Q. Xue, E. K. N. Yung, and Y. Long, "Microstrip leaky-wave antenna with beam-pattern switchable capability," *Microwave and Optical Technology Letters*, vol. 49, no. 12, pp. 3060-3063, Dec., 2007.

YUNG KAI-NING, EDWARD

- 1 Z. H. Wu and E. K. N. Yung. "Short helical antenna with extremely small pitch angle," *Microwave and Optical Technology Letters*, vol. 49, no. 1, pp. 17-19, Jan., 2007.
- 2 D. X. Wang, E. K. N. Yung, and R. S. Chen, "Spectral domain solution of FSS on the bi-axially anisotropic substrate," *IET Microwave. Antennas Propagation*, vol. 1, no. 2, pp. 335-340, Apr., 2007.

- 3 D. X. Wang, E. K. N. Yung, R. S. Chen, and P. Y. Lau, "An efficient volume integral equation solution to EM scattering by complex bodies with inhomogeneous bi-isotropy," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 7, pp. 1970-1980, Jul., 2007.
- 4 P. Y. Lau and E. K. N. Yung, "Compact wide band mono-polar patch antenna," *Microwave and Optical Technology Letters*, vol. 49, no. 7, pp. 1581-1585, Jul., 2007.
- 5 C. H. Chen, E. K. N. Yung, and B. J. Hu, "Spiral antenna with helix loaded for dual circularly polarized bands radiation," *Microwave and Optical Technology Letters*, vol. 49, no. 8, pp. 1939-1942, Aug., 2007.
- 6 P. L. Rui, R. S. Chen, D. X. Wang, and E. K. N. Yung, "Spectral two-step preconditioning of multilevel fast multi-pole algorithm for fast mono-static RCS calculation," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 8, pp. 2268-2275, Aug., 2007.
- 7 D. X. Wang, P. Y. Lau, E. K. N. Yung, and R. S. Chen, "Scattering by conducting bodies coated with bi-isotropic materials," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 8, pp. 2313-2319, Aug., 2007.
- 8 Z. H. Wu, W. Q. Che, B. Fu, and E. K. N. Yung. "Axial mode elliptical helical antenna with parasitic wire for CP band enhancement," *IET Microwaves, Antennas & Propagation*, vol. 1, no. 4, pp. 943-948, Aug., 2007.
- 9 P. L. Rui, R. S. Chen, D. X. Wang, and E. K. N. Yung, "A spectral multi-grid method combined with MLFMM for solving electromagnetic wave scattering problems," *IEEE Trans. on Antennas and Propagation*, vol. 55, no. 9, pp. 2571-2577, Sep., 2007.
- 10 P. W. Chan, H. Wong, E. K. N. Yung, "Unidirectional antenna composed of dipole and loop," *Electronics Letters*, vol. 43, no. 22, pp. 1176-1178, Oct., 2007.
- 11 C. H. Chen, E. K. N. Yung, and B. J. Hu, "Miniaturized CPW-fed circularly polarized corrugated slot antenna with meander line loaded," *Electronics Letters*, vol. 43, no. 25, pp. 1404-1405, Dec., 2007
- 12 Z. H. Wu, Y. Lou, and E. K. N. Yung, "A circular patch fed by a switch line balun with printed L-probes for broadband CP performance," *IEEE Antennas and Wireless Propagation Letters*, vol. 6, pp. 608-611, 2007.

ZHANG QI-TU, KEITH

- 1 D. W. Yue, Q. T. Zhang, and X. W. Cui, "Characteristic functions for optimum-combining output SNR with AWGN and correlated interference," *IEEE Trans. Communications*, vol. 5, no. 2, pp. 266-270, Feb., 2007.
- 2 Q. H. Shi and Q. T. Zhang, "Simple SER formulas for non-coherent MFSK with square-law diversity combining in generic Nakagami-m fading," *IEEE Communications Letters*, vol. 11, no. 5, pp. 393-395, May 2007.
- 3 Q. H. Shi and Q. T. Zhang, "Error probability of multicarrier CDMA with orthogonality restoring combining over Nakagami-m fading channels," *IEEE Trans. Wireless Communications*, vol. 6, no. 9, pp. 3268-3276, Sep., 2007.
- 4 R. K. Mallik and Q. T. Zhang, "A tight upper bound on the PEP of a space-time coded system," *IEEE Trans. Wireless Communications*, vol. 6, no. 9, pp. 3238-3247, Sep., 2007.
- 5 S. H. Song and Q. T. Zhang, "Dimension diversity receiver for the detection of UWB signals," *IEEE Trans. Vehicular Technology*, vol. 56, no. 4, pp. 2226-2234, Jul., 2007.
- 6 Q. T. Zhang and S. H. Song, "Exact expression for the coherence bandwidth of Rayleigh fading channels," *IEEE Trans. Communications*, vol. 55, no. 7, pp. 1296-1299, Jul., 2007.
- 7 Q. H. Shi and Q. T. Zhang, "Symmetry embedded spreading sequences for multicarrier CDMA," *IEEE Trans. Wireless Communications*, vol. 6, no. 10, pp. 3534-3539, Oct., 2007.